



**CLAIMS**


1. Superplasticizing additive for concrete and other cement mixtures with high strength development capacity and low air-entraining effect, comprising  
 5 terpolymers of the following mixture of monomers respectively having formulas IV, V and VI



10 where Z = H, Na, Li,  $\frac{1}{2}$  Ca and X is H or  $\text{CH}_3$ ,



where W =  $-(\text{CH}_2-\text{CH}_2-\text{O})_n-\text{CH}_3$ , n is integer approximately between 51 and  
 15 300 and X is H or  $\text{CH}_3$ ;



where



and m is an integer from 2 to 50.

2. Superplasticizing additive according to claim 1, wherein the monomer of formula V is polyethyleneglycolmonomethylmethacrylate of  
 25 molecular weight from about 2000 to about 13200.

3. Superplasticizing additive according to claim 1, wherein the monomer of formula VI is polypropyleneglycol-di-(meth)acrylate of molecular weight between about 280 to about 11800.

4. Superplasticizing additive according to claim 1, wherein the amount of acrylic monomers (IV) and (V) ranges from 90 to 99.9 percent of the whole polymerized mass and the amount of monomer (VI) ranges from 0.1 to 10 percent of the whole polymerized mass.
5. Superplasticizing additive according to claim 1, wherein the weight ratio between acrylic monomers (IV) and (V) is in the range from 0.05 to 0.5.
6. Cement mixtures containing from 0.01 to 3.00 percent by weight of the cement, on a dry basis of the additive of the claim 1.